PROCEDURES FOR COVID-19

In response to Covid-19 Pandemic, Renegade will initiate the following procedures immediately for all personnel.

Any Renegade employee experiencing symptoms of Covid-19, should immediately notify their manager who will notify Safety and HR for their region.

The symptoms are:

- Fever or chills
- Cough
- Shortness of breath or difficulty breathing
- Fatigue
- Muscle or body aches
- Headache
- New Loss of taste or smell
- Sore Throat
- Congestions or runny nose
- Nausea or vomiting
- Diarrhea

Any employee who has been exposed to Covid-19 should immediately notify their manager. If any employee tests positive for Covid-19, Renegade will follow the guidelines set by the CDC.

IF YOU were exposed to Covid-19 and ARE up to date on Covid-19 vaccinations – No Quarantine. You do not need to stay home unless you develop symptoms.

Get Tested
Even if you don't develop symptoms, get tested at least 5 days after you last had close contact with someone with Covid-19.

Watch for symptoms
Watch for symptoms until 10 days after you last had close contact with someone with Covid-19.

If you develop symptoms
Isolate immediately and get tested. Wear a well-fitting mask around others. Continue to stay home until are symptom free and with out fever for 24 hours without the use of fever reducing medication. **Take precautions until day 10.**

IF YOU were exposed to Covid -19 and are NOT up to date on Covid 19 vaccinations; Stay Home Quarantine for at least 5 days. Wear a well-fitting mask if you must be around others even in your home.

Get tested
Even if you don't develop symptoms, get tested at least 5 days after you last had close contact with someone with Covid-19.

Watch for symptoms
Watch for symptoms until 10 days after you last had close contact with someone with Covid-19. Take precautions until day 10.

If you develop symptoms
Isolate immediately and get tested. Wear a well-fitting mask around others. Continue to stay home until you are symptom free and without fever for 24 hours without the use of fever reducing medication.
Take precautions until day 10.

Wear a well-fitting mask for 10 full days any time you are around other inside your home or in public. Do not go places where you unable to wear a well-fitting mask.

If you must travel during days 6-10, Take Precautions. Avoid being around people who are more likely to get very sick from Covid-19.

IF YOU were exposed to Covid-19 and had a confirmed Covid-19 within the past 90 days-No Quarantine. You do not need to stay home unless you develop symptoms.

Watch for symptoms
Watch for symptoms until 10 days after you last had close contact with someone with Covid-19.

If you develop symptoms
Isolate immediately and get tested. Wear a well-fitting mask around others. Continue to stay home until are symptom free and without fever for 24 hours without the use of fever reducing medication.
Take precautions until day 10.

Wear a well-fitting mask for 10 full days any time you are around other inside your home or in public. Do not go places where you unable to wear a well-fitting mask.

Take Precautions if traveling. Avoid being around people who are more likely to get very sick from Covid-19.

Calculating Isolation Day 0 is your first day of symptoms or a positive viral test. Day 1 is the first full day after your symptoms developed or your test specimen was collected. If you have Covid-19 or have symptoms, isolate for at least 5 days.

If You tested positive for Covid-19 or have symptoms, regardless of your vaccination status. Stay home for at least 5 days and isolate from others in your home.

Wear a well-fitting mask if you must be around others in your home.

Do Not Travel

Ending isolation if you had symptoms.
End isolation after 5 full days if you are fever-free for 24 hours (without the use of fever reducing medications) and your symptoms are improving.

Ending isolation if you did NOT have symptoms
End isolation after at least 5 full days after your positive test.

If you got very sick from Covid-19 or have a weakened immune system
You should isolate for at least 10 days. Consult your doctor before ending isolation.
Take precautions until day 10.

Do Not Travel
Do not travel until a full 10 days after your symptoms started or the date your positive test was taken if you had no symptoms.

 Avoid being around people who are more likely to get very sick from Covid-19.

Violation of the Covid-19 procedure may result in disciplinary actions up to and including termination.